








Product chart	Product parameter
<p>CS-800LED坦克 私模款</p> 	<p>Product power: 800LED Working hours: about 12 hours. Solar panels: 6v/12w Battery capacity: 10000mah Product function: light control+remote control+induction Number of lamp beads: 800LED Product size: 600*242*50mm Product weight: 2.3kg Color box size: 24 * 6.5 * 60.5cm. Outer box size: 37.5*25*62cm/ box (5Pcs) Single package: 645*39*105MM</p>
<p>CS-1000LED坦克 私模款</p> 	<p>Product power: 1000LED Working hours: about 12 hours. Solar panels: 6v/15w Battery capacity: 15000mah Product function: light control+remote control+induction Number of lamp beads: 1000LED Product size: 700*240*50mm Product weight: 2.8kg Color box size: 24.5 * 8 * 70.5cm. Outer box size: 42.5*25.5*72cm/ box (5Pcs) Single package: 745*39*105MM</p>
<p>CS-1200LED坦克 私模款</p> 	<p>Product power: 1200LED Working hours: about 12 hours. Solar panels: 6v/18w Battery capacity: 18000mah Product function: light control+remote control+induction Number of lamp beads: 1200LED Product size: 782*242*50mm Product weight: 3.2kg Color box size: 24.5 * 8 * 78.5cm. Outer box size: 42.5*25.5*80cm/ box (5Pcs) Single package: 825*39*105MM</p>

<p style="text-align: center;">CS-560LED特斯拉 私模款</p> <div style="text-align: center;">  </div>	<p>Product power: 560LED Working hours: about 12 hours. Solar panels: 6v/15W Battery capacity: 15000mah Product function: light control+remote control+induction Number of lamp beads: 560LED Product size: 449*340*70mm Product weight: 2.5 Color box size: 350*78*465mm Outer box size: 36*41.5*48cm/ box (5Pcs) Integrated packaging: 52*47.5*11cm/ box (1Pcs) Integral weight: 4kg</p>
<p style="text-align: center;">CS-1120LED特斯拉 私模款</p> <div style="text-align: center;">  </div>	<p>Product power: 1120LED Working hours: about 12 hours. Solar panels: 6v/25W Battery capacity: 20000mah Product function: light control+remote control+induction Number of lamp beads: 1120LED Product size: 685*340*70mm Product weight: 3.5kg Color box size: 350*78*700mm Outer box size: 36*41.5*71.5cm/ box (5Pcs) Integrated packaging: 71.5*47.5*11cm/ box (1Pcs) Integral weight: 6kg</p>
<p style="text-align: center;">CS-1680LED特斯拉 私模款</p> <div style="text-align: center;">  </div>	<p>Product power: 1680LED Working hours: about 12 hours. Solar panels: 6v/28W Battery capacity: 25000mah Product function: light control+remote control+induction Number of lamp beads: 1680LED Product size: 920*340*70mm Product weight: 5.5kg Color box size: 350*78*935mm Outer box size: 36*34*95cm/ box (4Pcs) Integrated packaging: 95*47.5*11cm/ box (1Pcs) Integral weight: 8kg</p>

<p>CS-480LED 奔驰款</p> 	<p>Product power: 480LED Working hours: about 12 hours. Solar panels: 6v/18w Battery capacity: 15000mah Product function: light control+remote control+induction Number of lamp beads: 480LED Product size: 350*80*453mm Product weight: 2.5kg Color box size: 35 * 8 * 45.8cm. Outer box size: 43*36*47cm/ box (5Pcs)</p>
<p>CS-640LED 奔驰款</p> 	<p>Product power: 640LED Working hours: about 12 hours. Solar panels: 6v/25W Battery capacity: 20000mah Product function: light control+remote control+induction Number of lamp beads: 640LED Product size: 605*80*350mm Product weight: 3.5kg Color box size: 35 * 8 * 60.8cm Outer box size: 42.5*36*62cm/ box (5Pcs)</p>
<p>CS-696LED 航母款</p> 	<p>Product power: 696LED Working hours: about 12 hours. Solar panels: 6v/12w Battery capacity: 10000mah Product function: light control+remote control+induction Number of lamp beads: 696LED Product size: 476*360*72mm Product weight: 2.5kg Color box size: 48.4 * 36.5 * 9.5cm. Outer box size: 50*42.5*38cm/ box (5Pcs)</p>
<p>CS-1044LED 航母款</p>	



Product power: 1044LED
 Working hours: about 12 hours.
 Solar panels: 6v/20w
 Battery capacity: 15000mah
 Product function: light control+remote control+induction
 Number of lamp beads: 1044LED
 Product size: 626*360*72mm
 Product weight: 4kg
 Color box size: 63.5 * 36.5 * 9.5cm.
 Outer box size: 65*42.5*38cm/ box (5pcs)

CS-1392LED 航母款



Product power: 1392LED
 Working hours: about 12 hours.
 Solar panels: 6v/25w
 Battery capacity: 20000mah
 Product function: light control+remote control+induction
 Number of lamp beads: 1392LED
 Product size: 706*360*72mm
 Product weight: 5.5kg
 Color box size: 716 * 36.5 * 9.5cm.
 Outer box size: 73*42.5*38cm/ box (5Pcs)

CS-240LED北斗伸缩款



Product power: 240LED
 Working hours: about 12 hours.
 Solar panels: 6v/8w
 Battery capacity: 6000mah
 Product features: light control+remote control+buttons
 Number of lamp beads: 240 5730 lamp beads
 Product size: 468*240*67mm
 Product weight: /
 Color box size: 245*74*510mm
 Outer box size: /

CS-360LED北斗伸缩款



Product power: 360LED
Working hours: about 12 hours.
Solar panels: 6v/12w
Battery capacity: 10000mah
Product features: light control+remote control+buttons
Number of lamp beads: 360 5730 lamp beads
Product size: 586*259*67mm
Product weight:/
Color box size: 263*74*630mm
Outer box size: /

CS-480LED北斗伸缩款



Product power: 480LED
Working hours: about 12 hours.
Solar panels: 6v/15w
Battery capacity: 12000mah
Product features: light control+remote control+buttons
Number of lamp beads: 480 5730 lamp beads
Product size: 687*259*67mm
Product weight:/
Color box size: 263*74*730mm
Outer box size: /

CS-360LED 4格牙刷款



Product power: 360LED
Working hours: about 12 hours.
Solar panels: 6v/25W
Battery capacity: 20000mah
Product function: light control+remote control
Number of lamp beads: 432LED
Product size: 495*210*60mm
Product weight: 7.0kg
Color box size: /
Outer box size: 61*41*17cm/ box (1Pcs)

CS-432LED 6格牙刷款



Product power: 432LED
 Working hours: about 12 hours.
 Solar panels: 6v/30W
 Battery capacity: 25000mah
 Product function: light control+remote control
 Number of lamp beads: 432LED
 Product size: 495*210*60mm
 Product weight: 7.0kg
 Color box size: /
 Outer box size: 61*41*17cm/ box (1Pcs)

CS-工程款 5054透镜大灯珠
 小两面发光



Product power: 400
 Working hours: about 12 hours.
 Solar panels: 6v/20w
 Battery capacity: 15000mah
 Product function: light control+remote control
 Number of lamp beads: 45 5054 headlight beads
 Product size: 510*215mm
 Product weight: 7.0kg
 Color box size: /
 Outer box size: 525*220*90mm/ box (1Pcs)

CS-工程款 5054透镜大灯珠
 小三面发光






Product power: 500
 Working hours: about 12 hours.
 Solar panels: 6v/25w
 Battery capacity: 20000mah
 Product function: light control+remote control
 Number of lamp beads: 69 5054 headlight beads
 Product size: 510*215mm
 Product weight: 7.0kg
 Color box size: /
 Outer box size: 525*220*90mm/ box (1Pcs)




CS-工程款 5054透镜大灯珠
 小四面发光



Product power: 600
Working hours: about 12 hours.
Solar panels: 6v/30w
Battery capacity: 25000mah
Product function: light control+remote control
Number of lamp beads: 56 5054 headlight beads
Product size: 510*215mm
Product weight: 7.0kg
Color box size: /
Outer box size: 600*230*100mm/ box (1Pcs)

产品图/Product chart	Product parameter
<p data-bbox="331 275 626 304">CS-108LED问界 私模款</p> 	<p data-bbox="784 296 1354 785"> Product power: 108LED Working hours: about 10 hours. Solar panels: 6v/6w Battery capacity: 2400mah Product function: light control+remote control+induction Number of lamp beads: 108LED Product size: 321*202*42mm Product weight: 0.9kg Color box size: 245*50*327mm Outer box size: 50*48*35cm/ box (20Pcs) Double pack size: 55*35*27cm(5 sets of double packs) Outer box weight: 10KG </p>
<p data-bbox="331 814 626 844">CS-180LED问界 私模款</p> 	<p data-bbox="784 835 1354 1325"> Product power: 180LED Working hours: about 10 hours. Solar panels: 6v/10w Battery capacity: 5200mah Product function: light control+remote control+induction Number of lamp beads: 180LED Product size: 445*205*40mm Product weight: 1.22KG Color box size: 45*24.5*5cm Outer box size: 51*46*27cm/ box (10Pcs) Double pack size: 52*47*28cm(5 sets of double packs) Outer box weight: 14KG </p>
<p data-bbox="318 1354 639 1383">CS-100LED领航者 私模款</p> 	<p data-bbox="784 1423 1414 1808"> Product power: 100LED Working hours: about 12 hours. Solar panels: 6v/9w Battery capacity: 6600mah Product function: light control+remote control Number of lamp beads: 100LED5730 Product size: 350*230*45mm Product weight: 1.25kg Color box size: 355*60*243mm Outer box size: 36.5*33*50.5cm/ box (10Pcs) </p>

<p style="text-align: center;">CS-264LED特斯拉 私模款</p> 	<p>Product power: lens 264LED Working hours: about 12 hours. Solar panels: 6v/15W Battery capacity: 15000mah Product function: light control+remote control+induction Number of lamp beads: 264LED Product size: 449*340*70mm Product weight: 2.5 Color box size: 350*78*465mm Outer box size: 36*41.5*48cm/ box (5Pcs) Integrated packaging: 52*47.5*11cm/ box (1Pcs) Integral weight: 4kg</p>
<p style="text-align: center;">CS-582LED特斯拉 私模款</p> 	<p>Product power: lens 582LED Working hours: about 12 hours. Solar panels: 6v/25W Battery capacity: 20000mah Product function: light control+remote control+induction Number of lamp beads: 582LED Product size: 685*340*70mm Product weight: 3.5kg Color box size: 350*78*700mm Outer box size: 36*41.5*71.5cm/ box (5Pcs) Integrated packaging: 71.5*47.1cm/ box (1Pcs) Integral weight: 6kg</p>
<p style="text-align: center;">CS-792LED特斯拉 私模款</p> 	<p>Product power: lens 792LED Working hours: about 12 hours. Solar panels: 6v/28W Battery capacity: 25000mah Product function: light control+remote control+induction Number of lamp beads: 792LED Product size: 920*340*70mm Product weight: 5.5kg Color box size: 350*78*935mm Outer box size: 36*34*95cm/ box (4Pcs) Integrated packaging: 95*47.5*11cm/ box (1Pcs) Integral weight: 8kg</p>

<p>CS-800LED 奔驰款</p>  <p>350MM</p> <p>680MM</p> <p>1000W</p>	<p>Product power: 800LED Working hours: about 12 hours. Solar panels: 6v/30W Battery capacity: 20000mah Product function: light control+remote control+induction Number of lamp beads: 800LED Product size: 680*85*350mm Product weight: 3.9kg Color box size: 35.8 * 8 * 68.8cm Outer box size: 43*35.5*78.5cm/ box (5Pcs)</p>
<p>CS-960LED 奔驰款</p>  <p>350MM</p> <p>760MM</p> <p>1200W</p>	<p>Product power: 960LED Working hours: about 12 hours. Solar panels: 6v/35W Battery capacity: 30000mah Product function: light control+remote control+induction Number of lamp beads: 960LED Product size: 760*85*350mm Product weight: 3.9kg Color box size: 760*8.5*35cm Outer box size: 43*35.5*78.5cm/ box (5Pcs)</p>
<p>CS-280LED伸缩杆 反光杯</p>  <p>35cm</p> <p>45cm</p> <p>SOLAR LIGHT</p> <p>内置设计 收放自如</p> <p>伸缩灯杆 节省空间</p>	<p>Product power: 280LED Working hours: about 10 hours. Solar panels: 6v/15W Battery capacity: 10000mah Product function: light control+remote control+induction Number of lamp beads: 280LED Product size: 450*350*65mm Product weight: 2.5kg Color box size: 50*7.5*36cm Outer box size: 51.5*38*40cm/ box (5Pcs)</p>
<p>CS-320LED伸缩杆 透镜款</p>	



Product power: 320LED
 Working hours: about 10 hours.
 Solar panels: 6v/15W
 Battery capacity: 10000mah
 Product function: light control+remote control+induction
 Number of lamp beads: 320LED
 Product size: 450*350*65mm
 Product weight: 2.5kg
 Color box size: 50*7.5*36cm
 Outer box size: 51.5*38*40cm/ box (5Pcs)

CS-780LED伸缩杆 加大



Product power: 780LED
 Working hours: about 10 hours.
 Solar panels: 6v/25W
 Battery capacity: 20000mah
 Product function: light control+remote control+induction
 Number of lamp beads: 780LED
 Product size: 640*347*67mm
 Product weight: 4.5kg
 Color box size: 70*9*36cm
 Outer box size: 37*47*71.5cm/ box (5Pcs)

CS-486LED绝影款



Product power: 486LED
 Working hours: about 12 hours.
 Solar panels: 6v/12w
 Battery capacity: 10000mah
 Product features: light control+remote control+buttons
 Number of lamp beads: 972 5730 lamp beads
 Product size: 397*342*71mm
 Product weight: /
 Color box size: 370*75*410mm
 Outer box size: 755*395*425mm/ box (10Pcs)

CS-972LED绝影款



Product power: 972LED
Working hours: about 12 hours.
Solar panels: 6v/20w
Battery capacity: 15000mah
Product features: light control+remote control+buttons
Number of lamp beads: 972 5730 lamp beads
Product size: 564*342*71mm
Product weight:/
Color box size: 370*75*575mm
Outer box size: 585*395*385mm/ box (5Pcs)

CS-1458LED绝影款



Product power: 1458LED
Working hours: about 12 hours.
Solar panels: 6v/30w
Battery capacity: 20000mah
Product features: light control+remote control+buttons
Number of lamp beads: 1458 5730 lamp beads
Product size: 740*342*71mm
Product weight:/
Color box size: 370*75*750mm
Outer box size: 760*395*395mm/ box (5Pcs)

CS-805LED 牙刷款



Product power: 805LED
Working hours: about 12 hours.
Solar panels: 6v/30W
Battery capacity: 30000mah
Product function: light control+remote control
Number of lamp beads: 1272LED
Product size: 495*210*60mm
Product weight: 7.5kg
Color box size:/
Outer box size: 71*41*17cm/ box (1Pcs)

CS-1272LED 牙刷款



Product power: 1272LED
 Working hours: about 12 hours.
 Solar panels: 6v/35W
 Battery capacity: 30000mah
 Product function: light control+remote control
 Number of lamp beads: 1272LED
 Product size: 495*210*60mm
 Product weight: 8.0kg
 Color box size:/
 Outer box size: 71*41*17cm/ box (1Pcs)

CS-工程款 5054透镜大灯珠
 大两面发光



Product power: 800
 Working hours: about 12 hours.
 Solar panels: 6v/35w
 Battery capacity: 30000mah
 Product function: light control+remote control
 Number of lamp beads: 60 5054 headlight beads
 Product size: 590*220mm
 Product weight: 8.0kg
 Color box size:/
 Outer box size: 600*230*100mm/ box (1Pcs)

CS-工程款 5054透镜大灯珠
 大三面发光






Product power: 1000
 Working hours: about 12 hours.
 Solar panels: 6v/40w
 Battery capacity: 35000mah
 Product function: light control+remote control
 Number of lamp beads: 81 5054 headlight beads
 Product size: 590*220mm
 Product weight: 8.0kg
 Color box size:/
 Outer box size: 600*230*100mm/ box (1Pcs)

CS-工程款 5054透镜大灯珠
 大四面发光



Product power: 1500
Working hours: about 12 hours.
Solar panels: 6v/50w
Battery capacity: 40000mah
Product function: light control+remote control
Number of lamp beads: 88 5054 headlight beads
Product size: 590*220mm
Product weight: 8.0kg
Color box size: /
Outer box size: 600*230*100mm/ box (1Pcs)

产品图/Product chart	Product parameter
<p data-bbox="282 275 607 306">CS-T8 折叠伸缩款小风扇</p> 	<p data-bbox="751 359 1370 753"> Foot inch: 6 inches Work rate: 5w Gear: 3rd gear Adapter: 2A adapter charger Solar panels: 6v/6.5w polysilicon A-class panels. Battery capacity: 5200mah ternary lithium battery 18650 Charging time: 3-5h Duration of use: 5-8h Function mode: folding and telescopic+folding and storage Product size: 202mm*202mm*92mm Box size: 238*228*130mm/(1pcs) Full container weight: 1.6Kg Outer box size: 71*25*48cm/(10PCS) Product color: off-white Support voltage: 110-240v V. </p>
<p data-bbox="269 848 620 879">CS-T98 三叶机械风扇 12寸</p> 	<p data-bbox="751 909 1419 1350"> Foot inch: 12 inches Work rate: 15w Gear: 3rd gear Adapter: 2A adapter charger Solar panels: 9v/8w polysilicon A-class panels. Battery capacity: 5200mah ternary lithium battery 18650 Charging time: 3-5h Duration of use: 5-8h Function mode: charging display+nightlight +USB interface+light bulb. Product dimensions: height 50cm, width 35cm. Box size: 35*20.5*35cm/(1pcs) Full container weight: 2.4kg Product color: white Support voltage: 110-240v V. </p>
<p data-bbox="269 1421 620 1453">CS-118 三叶趴地风扇 12寸</p> 	<p data-bbox="751 1497 1430 1873"> Foot inch: 12 inches Work rate: 15w Gear: 3rd gear Adapter: 2A adapter charger Solar panels: 9v/12w polysilicon A-class panels. Battery capacity: 12000mah ternary lithium battery 18650 Charging time: 3-5h Duration of use: 5-8h Function mode: angle adjustable +USB interface Product dimensions: height 37cm, width 42cm. Box size: 43*24*38cm/(1pcs) Full container weight: 3.5kg Product color: black </p>

	Support voltage: 110-240v V.
<p>CS-128 三叶台扇12寸</p> 	<p>Foot inch: 12 inches Work rate: 15w Gear: 3rd gear Adapter: 2A adapter charger Solar panels: 9v/12w polysilicon A-class panels. Battery capacity: 12000mah ternary lithium battery 18650 Charging time: 3-5h Duration of use: 5-8h Function mode: General Product dimensions: height 58cm, width 34.5cm Box size: 42*21.5*35cm/(1pcs) Full container weight: 3.5kg Product color: white Support voltage: 110-240v V.</p>
<p>CS-168 五叶落地扇</p> 	<p>Foot inch: 16 inches Work rate: 25w Gear: 3rd gear Adapter: 2A adapter charger Solar panels: 9v/12w polysilicon A-class panels. Battery capacity: 12000mah ternary lithium battery 18650 Charging time: 3-5h Duration of use: 5-8h Function mode: 180 shake head+height adjustment. Product dimensions: height 120cm, width 45cm. Box size: 47*16.5*43cm/(1pcs) Full container weight: 4.8kg Product color: white Support voltage: 110-240v V.</p>
<p>CS-198 五叶落地扇</p> 	<p>Foot inch: 16 inches Work rate: 25w Gear: 3rd gear Adapter: 2A adapter charger Solar panels: 9v/20w polysilicon A-class panels. Battery capacity: 18000mah ternary lithium battery 18650 Charging time: 3-5h Duration of use: 5-8h Function mode: shake head +USB interface+nightlight+highly scalable. Product size: height 120cm, width 45cm. Box size: 47*20*43cm/(1pcs)</p>



Full container weight: 5.6kg
Product color: white
Support voltage: 110-240v V.

CS-288 五叶落地扇









Foot inch: 16 inches
Work rate: 25w
Gear: 3rd gear
Adapter: 2A adapter charger
Solar panels: 9v/20w polysilicon A-class panels.
Battery capacity: 12000mah ternary lithium battery 18650
Charging time: 3-5h
Duration of use: 5-8h
Function mode: shake head +USB interface+nightlight+highly scalable.
Product size: height 120cm, width 45cm.
Box size: 47*20*43cm/(1pcs)
Full container weight: 5.6kg
Product color: red+black
Support voltage: 110-240v V.

CS-288五叶落地扇 遥控款



Work rate: 15w
Solar panel: 12w polysilicon A panel 9V
Battery capacity: ternary lithium battery 12000mah
Charger: 2A adapter charger
Gear: 4th gear
Charging time: 4H
Duration of use: 7-9H
Function mode: remote control or key control, charging indicator light, gear display, nightlight low light or strong light, USB charging interface.
Fan size: 16 inches, 120cm high and 45cm wide.
Solar panel size: 290*350mm
Qty: 1 set/box (portable packaging)
Box size: 47*20*43cm
Full container weight: 5.3Kg
Product color: white

产品图/Product chart	Product parameter
<p data-bbox="321 275 651 306">CS-16寸 多彩发光遥控款</p> 	<p data-bbox="792 331 1414 783"> Power: 15 w Solar panel: 12w polysilicon panel 9V Battery capacity: 18650 Lithium battery 12000mah Charger: 2A adapter charger Wind Type:6Gears , Soft and strong Charging time: 4h Duration of discharge; 4.30 hours in 6 gears, 1st gear 18 hours Working mode: multi-function button remote control Functional modes: USB interface, colorful lighting, night light lighting, charging indicator, Fan size: 16 ", 120cm high, 45cm width Solar panel size: 290*350mm Packing quantity: 1 sets/carton Measure: 48*19*41cm FCL: 5.6Kg Product color: white/Green. </p>
<p data-bbox="321 848 651 879">CS-T9 三叶音乐风扇 12寸</p> 	<p data-bbox="792 894 1390 1367"> Foot inch: 12 inches Work rate: 15w Gear: 3rd gear Adapter: 2A adapter charger Solar panels: 9v/8w polysilicon A-class panels. Battery capacity: 5200mah ternary lithium battery 18650 Charging time: 3-5h Duration of use: 5-8h Function mode: Bluetooth music+nightlight +USB interface+light bulb. Product dimensions: height 50cm, width 35cm. Box size: 35*20.5*35cm/(1pcs) Full container weight: 2.4kg Product color: white Support voltage: 110-240v V. </p>
<p data-bbox="305 1421 672 1486">CS-118F 三叶趴地风扇 12寸 铝叶+电显</p> 	<p data-bbox="792 1467 1403 1877"> Foot inch: 12 inches Work rate: 15w Gear: 12th gear Adapter: 2A adapter charger Solar panels: 9v/12w polysilicon A-class panels. Battery capacity: 12000mah ternary lithium battery 18650 Charging time: 3-5h Duration of use: 5-8h Function mode: 12 gears +USB interface+electric quantity display Product dimensions: height 37cm, width 42cm. Box size: 43*24*38cm/(1pcs) Full container weight: 3.6kg </p>

	<p>Product color: black Support voltage: 110-240v V.</p>
<p>CS-138 五叶台扇 14寸</p> 	<p>Foot inch: 14 inches Work rate: 15w Gear: 3rd gear Adapter: 2A adapter charger Solar panels: 9v/12w polysilicon A-class panels. Battery capacity: 12000mah ternary lithium battery 18650 Charging time: 3-5h Duration of use: 5-8h Function mode: General Product dimensions: height 60cm, width 43cm. Box size: 43*20*43.5cm/(1pcs) Full container weight: 3.7kg Product color: white Support voltage: 110-240v V.</p>
<p>CS-188 五叶落地扇</p> 	<p>Foot inch: 16 inches Work rate: 25w Gear: 3rd gear Adapter: 2A adapter charger Solar panels: 9v/20w polysilicon A-class panels. Battery capacity: 18000mah ternary lithium battery 18650 Charging time: 3-5h Duration of use: 5-8h Function mode: shake head +USB interface+nightlight+height adjustment. Product dimensions: height 120cm, width 45cm. Box size: 47*20*43cm/(1pcs) Full container weight: 5.6kg Product color: white blue+black Support voltage: 110-240v V.</p>
<p>CS-198F 五叶落地扇 遥控款</p> 	<p>Foot inch: 16 inches Work rate: 25w Gear: 3rd gear Adapter: 2A adapter charger Solar panels: 9v/20w polysilicon A-class panels. Battery capacity: 18000mah ternary lithium battery 18650 Charging time: 3-5h Duration of use: 5-8h Function mode: remote control +USB interface+nightlight+light bulb+height adjustment. Product size: height 120cm, width 45cm. Box size: 47*20*43cm/(1pcs) Full container weight: 5.6kg</p>



Full container weight: 5.6kg
 Product color: white
 Support voltage: 110-240v V.

CS-V218 五叶落地扇 遥控款



Foot inch: 16 inches
 Work rate: 25w
 Gear: 3rd gear
 Adapter: 2A adapter charger
 Solar panels: 9v/20w polysilicon A-class panels.
 Battery capacity: 18000mah ternary lithium battery 18650
 Charging time: 3-5h
 Duration of use: 5-8h
 Function mode: four gears+shaking head+remote control+nightlight+mosquito repellent lamp.
 Product size: height 120cm, width 45cm.
 Box size: 47*20*43cm/(1pcs)
 Full container weight: 5.6kg
 Product color: white blue+black
 Support voltage: 110-240v V.

CS-V268 音乐风扇 遥控款



Work rate: 25w
 Solar panel: 20w polysilicon A panel 9V
 Battery capacity: ternary lithium 18650 battery 18000mah
 Charger: 2A adapter charger
 Gear: 6th gear
 Charging time: 4-6H
 Duration of use: 10 hours for 6th gear and 16 hours for 1st gear.
 Working mode: multi-function key
 Function mode: remote control or key control, charging indicator light power display, gear display, nightlight low-light or high-light USB charging interface, ambient light, Bluetooth and U disk playing music function, 5v bulb output.
 Fan size: 16 inches, height 120cm, width 45cm Solar panel size: 400*350mm.
 Qty: 1 set/box
 Box size: 45*20*43cm
 Full container weight: 6Kg
 Product color: white, black